

CarProTool Programmer + Eeprom Programmer

CarProTool (CPT) is a powerful diagnostic programmer designed to read and write chips that are used in car. CPT comes with smart OBD connector and following functions: AirBag Clear Clash, Reset/ Renew, Reading Passcode, Immobilizer Key Code System, and Dashboard Service Tool.



Supported Chips :

Atmel:

AT93C46D, AT93C46E, AT93C56B, AT93C66B, AT93C76, AT93C86A
24C00, 24C01, 24C02, 24C04, 24C08, 24C16, 24C32, 24C64, 24C128, 24C256, 24C512
24M01
AT25010B, AT25020B, AT25040B, AT25080A, AT25160A, AT25320B(A), AT25640B(A),
AT25128B, AT25256B, AT25512

Microchip:

93xx46A, 93xx46B, 93xx46C, 93xx56A, 93xx56B, 93xx56C, 93xx66A, 93xx66B, 93xx66C,
93xx76A, 93xx76B, 93xx76C, 93xx86A, 93xx86B, 93xx86C
24xx00, 24xx01x, 24xx02x, 24xx04x, 24xx08x, 24xx16x, 24xx32x, 24xx64, 24xx128, 24xx256,
24xx1025
25LC010A, 25LC020A
25xx040A, 25xx080C, 25xx080D, 25xx160C, 25xx160D, 25xx320A, 25xx640A, 25xx128,
25A128, 25xx256

ST:

M93C46, M93C56, M93C66, M93C76, M93C86
M24C01-x, M24C02-x, M24C04-x, M24C08-x, M24C16-x

M24C32, M24C64, M24C128, M24C256

M95040, M95P08, M95080, M95160, M95320, M95640, M95128, M95256

Catalyst:

24C02

Samsung:

km93c46

AKM:

93c46

Elan:

EM25LV010

PMC:

Pm25LV512

Pm25LV010

Sanyo:

25U406B

EON:

en25T80

SST:

SST25VF512

SST25LF020A



Available extra activations for CPT Programmer

- Freescale MAC72xx JTAG Programmer - 130 EURO
- Fujitsu Programmer & ODOmeter calibration - 260 EURO
- Freescale MAC71xx JTAG Programmer - 130 EURO
- Infineon XC2xxx JTAG Programmer - 130 EURO
- Infineon TC2xxx JTAG Programmer - 160 EURO
- Freescale MPC560x / ST SPC560Px0 / SC66705 JTAG Programmer - 130 EURO
- Renesas H8SX R5F6172x Programmer and Crash Data Remover - 385 EURO
- Renesas H8SX R5F61797 Programmer and Crash Data Remover - 385 EURO
- Renesas R5F642xx / R5F2154xx Programmer and Crash Data Remover - 260 EURO
- Renesas RH850 R7F701x Programmer - 330 EURO
- Renesas RL78 Programmer - 260 EURO
- Renesas / NEC V850 Programmer - 130 EURO
- Renesas / NEC V850E2 D70F35xx D70F40xx Programmer - 130 EURO
- VOLVO DDP & PDM Reprogramming - 130 EURO
- TMS470 JTAG Programmer - 130 EURO
- TMS570 JTAG Programmer - 330 EURO
- FORD TMS470 Code Reader/ DECODER - 130 EUR
- Blaupunkt NAVI RNS 310 / Ford Travelpilot FX NX Code Reader - 130 EURO
- NISSAN LCN / OPEL Touch & Connect Full DECODER - 260 EURO
- Blaupunkt NAVI RNS 300 Code Reader - 130 EURO
- RCD310 / RCD510 Navigation Code Reader - 190 EURO
- RCD210 / RCD500 (Renesas M30879) Code Reader - 130 EURO

Airbag Service Start Pack with SmartOBD CAN Tool

Complete solution for AirBag SRS UNIT CRASH DATA repair!

CARS SUPPORTED by CAN (SmartOBD).

It works by OBD2 connector or on table also by SERVICE PORT.

- RENAULT SRS UNITS - RH850 R7F701x - CRASH DATA REPAIR BY CAN OBD2
- MAZDA SRS UNITS - INFINEON XC2XXX - CRASH DATA REPAIR BY CAN OBD2
- MAZDA SRS UNIT - MAC7242 - CRASH DATA REPAIR BY CAN OBD2
- FORD SRS UNITS - INFINEON XC2XXX - CRASH DATA REPAIR BY CAN OBD2
- RENAULT SRS UNITS SPC560XXX CRASH DATA REPAIR BY CAN OBD2
-- No more START/STOP Problem. No more Steering Lock Problem
- DACIA SRS UNITS SPC560 CRASH DATA REPAIR BY CAN OBD2
- RENAULT SRS UNITS INFINEON XC2XXX - CRASH DATA REPAIR BY CAN OBD2
- NISSAN SRS UNITS - INFINEON XC2XXX - CRASH DATA REPAIR BY CAN OBD2
- VOLVO SRS UNITS - INFINEON XC2XXX - CRASH DATA REPAIR BY CAN OBD2
- KIA SRS UNITS - INFINEON XC2XXX - CRASH DATA REPAIR BY CAN OBD2
- HYUNDAI SRS UNITS - INFINEON XC2XXX - CRASH DATA REPAIR BY CAN OBD2
- KIA SRS UNITS - MAC7242 - CRASH DATA REPAIR BY CAN OBD2
- HYUNDAI SRS UNITS - MAC7242 - CRASH DATA REPAIR BY CAN OBD2
- HONDA SRS UNIT - RENESAS H8SX R5F6172X - CRASH DATA REPAIR BY K-LINE OBD2
- HONDA SRS UNIT - TMS320 - CRASH DATA REPAIR BY K-LINE OBD2
- SUBARU SRS UNIT - RENESAS H8SX R5F6172X - CRASH DATA REPAIR BY K-LINE OBD2
- RENAULT SRS UNIT - MOTOROLA HC912 - CRASH DATA REPAIR BY K-LINE OBD2
- KIA SRS UNIT - MOTOROLA HC912 - CRASH DATA REPAIR BY K-LINE OBD2
- HYUNDAI SRS UNIT - MOTOROLA HC912 - CRASH DATA REPAIR BY K-LINE OBD2

Features:

- Photos and descriptions available in software
- 1 year free technical support
- 1 year free updates
- Unlimited tokens to use for whole 365 days of subscription
- Intuitive software menu
- Search System of any name of the controller housing
- Calculation files 1-2 seconds
- Repair CRASH DATA by CAN direct in car and on table
- Repair CRASH DATA Manual and Automatic method
- Working on Multiple PCs
- Internet connection required.



AirBag Service START PACK contains:

1. CarProTool (CPT) Programmer (basic version with eeprom programmer activation. Activation have no limit)
2. CPT EEPROM SOIC 8 ADAPTER
3. Power cable for CCA
4. CCA 10PIN cable for connect SRS module by CAN on table
5. AirBag Service Tool USB Dongle (AST)
6. AirBag Service Tool DUMP license for 1 year (no limit, no tokens)
7. AirBag CAN Service Tool 1 license for 1 year (no limit, no tokens)
8. SmartOBD CAN Tool
9. SmartOBD Power Adapter 2A CPT SOIC8 EEPROM ADAPTER
10. 20 PIN connector for SmartOBD Service Port
11. CPT CAN ADAPTER (CCA)
12. Power cable for CCA



Key Service Tool - RENEW Smart Key

- RENEW Used Keys
- NO TOKENS
- 1 Year free support and updates.



Immo Service Tool

- Immo Service Tool.
- Pin Code Calculator.
- Key Code Calculator.

Features:

- Pin Code / Key Code Calculator by dumps.
- Immo OFF Calculator by dumps
- Photos and descriptions of the program
- 1 year free technical support
- 1 year free updates
- Unlimited tokens to use for whole 365 days of subscription
- Another one year update and support subscription - 250 euro
- Intuitive software menu
- Search System of any name of the controller housing
- Calculation files 1-2 seconds
- Working on Multiple PCs (USB dongle)



Dashboard Service Tool. Activation

Features :

- Change mileage
- Change service details
- Change service parametrs (days, km)
- Tachograph off
- Tachograph on
- DASH witzh EZS synchronization



MAC72xx Programmer. Activation for CPT. Crash data repair.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!
Protected or Locked MCUs read impossible!

CarProTool Programmer for Motorola Freescale MAC7242, MAC7241 and more. You can read write and erase all the areas of memory (EEPROM, FLASH and Shadow). Each area is programmed separately, which greatly reduces the time required to make repairs.

Supported models:

- MAC72x1
- MAC72x2

CarProTool allow for repair of the latest drivers Airbag appearing in the models from BMW, Opel, Ford, Mazda, Kia, hundai, Chevrolet and other

Fujitsu MB91F Programmer & ODOmeter repair solution

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!

- read/write/erase work flash
- read/write/erase code flash
- ODOmeter repair / calibration

Fujitsu MCU available in modules:

- Honda FIT, JAZZ 2014 MB91F061
- Kia Picanto, Carnival 2015+ MB91F061
- Kia Sorento, Sonata MB91F067
- Hyundai I30, I40 2015+ MB91F062
- Daihatsu Move MB91F058.
- General Motors BCM
- Citroen C5 '09 Instrument cluster
- Toyota, Honda, Hyundai Instrument cluster
- Honda Fit, Toyota RAV4, Toyota Camry
- Hyundai i30, i40 Instrument cluster
- Kia Optima Instrument cluster
- Mitsubishi Instrument cluster
- Toyota, Lexus Instrument cluster
- BMW F01 - F10 Instrument cluster
- BMW F25 Instrument cluster
- Nissan X-Trail Instrument cluster

MCU added to CPT ver 63.00:

- | | |
|-------------|----------------|
| • mb91f058 | • mb91f725 |
| • mb91f060 | • mb91f575 |
| • mb91f061 | • mb91f577 |
| • mb91f062 | • mb91f578 |
| • mb91f223 | • mb91f579 |
| • mb91f264 | • mb91f591 |
| • mb91f267 | • mb91f592 |
| • mb91f345 | • mb91f594 |
| • mb91f467s | • mb91f599 |
| • mb91f522 | • and More ... |

***** Fujitsu FM2C8FX *****

MB95F108B/AM

MB95F116MA

+98 51 38 64 41 19
+98 912 067 6004

info@Carsoft-Tech.com
www.Carsoft-Tech.com

MB95F118B/M
MB95F128/MB
MB95F136MB
MB95F146
MB95F156M
MB95F166
MB95F168MA
MB95F188J

***** Fujitsu FM2C16FX *****

- MB96F313A/R/Y
- MB96F315A/R/Y
- MB96F326A/R/Y
- MB96F336U
- MB96F338R/U/Y
- MB96F343D/F
- MB96F345D/F
- MB96F346A/R/Y
- MB96F347A/R/Y
- MB96F348A/R/Y
- MB96F348C/H/T
- MB96F353A/R
- MB96F355A/R/Y
- MB96F356A/R/Y
- MB96F378C/H/T
- MB96F379R/Y
- MB96F385R/Y
- MB96F386R/Y
- MB96F387R/Y
- MB96F388H/T
- MB96F389R/Y
- MB96F395R/Y
- MB96F612A/R
- MB96F613A/R
- MB96F615A/R
- MB96F622A/R
- MB96F623A/R
- MB96F625A/R
- MB96F636R
- MB96F637R
- MB96F643A/R
- MB96F645A/R
- MB96F646R
- MB96F647R
- MB96F653A/R
- MB96F655A/R
- MB96F656R
- MB96F657R
- MB96F673A/R
- MB96F675A/R
- MB96F683A/R
- MB96F685A/R
- MB96F693A/R
- MB96F695A/R
- MB96F696R
- MB96F6A5A/R
- MB96F6A6R
- MB96F6B5A/R
- MB96F6B6R
- MB96F6C5A/R
- MB96F6C6R
- MB96F8D5K3/4
- MB96F8D5KD/E/F/U/V/W
- MB96F8E5K3/4
- MB96F8E5KD/E/F/U/V/W
- MB96F8D3K3/4
- MB96F8D3KD/E/F/U/V/W
- MB96F8E3K3/4
- MB96F8E3KD/E/F/U/V/W
- MB96F633A/R
- MB96F633A/R
- MB96F635A/R

***** Fujitsu FM2C16LX *****

- MB90F334
- MB90F335A
- MB90F337
- MB90F482
- MB90F488
- MB90F489

- MB90F342A/CA/AS/CAS
- MB90F342E/CE/ES/CES
- MB90F345A/CA/AS/CAS
- MB90F345E/CE/ES/CES
- MB90F346A/CA/AS/CAS
- MB90F346E/CE/ES/CES
- MB90F347A/CA/AS/CAS
- MB90F347E/CE/ES/CES
- MB90F349A/CA/AS/CAS
- MB90F349E/CE/ES/CES
- MB90F351/S
- MB90F351B/BS
- MB90F351A/AS/TA/TAS
- MB90F351E/ES/TE/TES
- MB90F352/S
- MB90F352B/BS
- MB90F352A/AS/TA/TAS
- MB90F352E/ES/TE/TES
- MB90F357A/AS/TA/TAS
- MB90F357E/ES/TE/TES
- MB90F357/TEST
- MB90F362E/ES/TE/TES
- MB90F367E/ES/TE/TES
- MB90F372
- MB90F378
- MB90F387/S
- MB90F394H
- MB90F395H
- MB90MF408
- MB90F423GA/GC
- MB90F428GA/GC
- MB90F438L/LS
- MB90F439/S
- MB90F443G
- MB90F455/S
- MB90F456/S
- MB90F457/S
- MB90F462
- MB90F474H/L
- MB90F476/A
- MB90F481
- MB90F497/G
- MB90F498G
- MB90F523B
- MB90F543/G/GS
- MB90F546G/GS
- MB90F548G/GS
- MB90F549/G/GS
- MB90F553A
- MB90F562/B
- MB90F568
- MB90F574/A
- MB90F583B/C/CA
- MB90F584C/CA
- MB90F591A/G
- MB90F594A/G
- MB90F598/G
- MB90F654A
- MB90F803
- MB90F804
- MB90F822
- MB90F823
- MB90F828B
- MB90F867A/AS
- MB90F867E/ES
- MB90F882
- MB90F883/A/B
- MB90F883C
- MB90F884/A/B/C
- MB90F897/S
- MB90F912
- MB90F922
- MB90F923
- MB90F924
- MB90F931/S
- MB90F946A
- MB90F947A
- MB90F949A
- MB90F952
- MB90F962
- MB90F983
- MB90F997



MAC71xx Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!

MAC71xx Activation for CarProTool.

Supported models:

- MAC71x1
- MAC71x2
- MAC71x4
- MAC71x5
- MAC71x6

MAC7101 MAC7111 MAC7121 MAC7131 MAC7141
MAC7112 MAC7122 MAC7142
MAC7104 MAC7114 MAC7124 MAC7134 MAC7144
MAC7105 MAC7115 MAC7125 MAC7135
MAC7106 MAC7116 MAC7126 MAC7136

CarProTool allow for repair of the latest srs modules Airbag.

Infineon XC2361 JTAG Programmer. Activation for CPT.

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

Pins don't need to be lifted up!

Functions:

- Read
- Write
- Erase
- Auto Verify

Infineon XC2xxx MCU exist in SRS Units in many cars:

- CHEVROLET
- FORD
- HYUNDAI
- ISUZU
- JAGUAR
- KIA
- LAND ROVER
- LINCOLN
- MAZDA
- NISSAN
- OPEL
- RENAULT
- VOLVO

Supported MCU:

- XC2060N-40F
- XC2060M-104F
- XC2336B-24F
- XC2336B-40F
- XC2336A-56F
- XC2336A-72F
- XC2361A-56F
- XC2361A -72F
- XC2363A-56F
- XC2363A-72F
- XC2364A-56F
- XC2364A-72F
- XC2364A-104F
- XC2365A-56F
- XC2365A-72F
- XC2365A-104F
- XC2361B-24F
- XC2361B-40F
- XC2363B-24F
- XC2363B-40F
- XC2364B-24F
- XC2364B-40F
- XC2365B-24F
- XC2365B-40F

Infineon TriCore TC2xxx JTAG Programmer. Activation for CPT.

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

WORLD FIRST SOLUTION WHERE LEGS DON'T NEED TO BE LIFTED UP !!!

MCU supported:

- TC21xx8F
- TC22xx12F
- TC22xx16F
- TC23xx16F
- TC23xx24F
- TC23xx32F

Functions:

- Read / Write – pflash
- Read / Write – dflash

FORD 2018+ SRS UNIT SUPPORTED:

Infineon TriCore TC222S-16F 133F

- H1BT-14B321-AF
- H1BT-14B321-AG
- H1BT-14B321-AH
- JL1T-14B321-BB
- and more ...

MAZDA 2018+ SRS UNIT SUPPORTED:

Infineon TriCore, SAK-TC233LP-16f200f AB

- GBEF-57K30A
- GBEF 57K30A
- GBEF57K30A
- and more ...

Connection diagrams available.

Freescale MPC560x / SC66705 / ST SPC560Px0 programmer. Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!

Freescale MPC560x / SC66705 / ST SPC560Px0 / SPC56AP54 Programmer.

Supported :

***** FreeScale PPC *****

- mpc5601p
- mpc5602p
- mpc5603p
- mpc5604p(sc66705)
- mpc5605b
- mpc5606b
- mpc5607b

***** ST *****

- spc560p34
- spc560p40
- spc560p44
- spc560p50
- spc560b54x
- spc560b60x
- spc560b64x
- spc56ap54x
- spc56ap60x

Renesas H8SX R5F6172x JTAG UART CAN Programmer CRASH DATA Remover. Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!
CAN work just by CPT CAN Adapter

You can also repair all SRS unit's damaged by other tools.

Renesas H8SX JTAG Programmer (Read/Write)

Supported:

- R5F61721
- R5F61723
- R5F61725
- R5F61726
- R5F61727

Renesas H8SX UART Programmer (Write CLEAR FILES to SRS modules)

Supported:

- R5F61721
- R5F61723
- R5F61725
- R5F61726
- R5F61727

Renesas H8SX CAN Programmer (Read dump)

NOTE: For CAN Programming CPT CAN ADAPTER required

Supported:

- R5F61721
- R5F61723
- R5F61725
- R5F61726
- R5F61727

Connection diagrams and CLEAR FILES available for download in support web.

Renesas H8SX R5F61797 J-TAG UART CAN Programmer CRASH DATA Remover. Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!

Renesas H8SX JTAG Programmer (Read/Write)

Supported:

- R5F61797

Renesas H8SX UART Programmer (Write CLEAR FILES to SRS modules)

Supported:

- R5F61797

Renesas H8SX CAN Programmer (Read dump)

NOTE: For CAN Programming CPT CAN ADAPTER required

Supported:

- R5F61797

You can also repair all SRS unit's damaged by other tools.

Support area:

Renesas H8SX R5F61797 CAN/

Renesas H8SX R5F61797 JTAG Programmer/

Renesas H8SX R5F61797 UART Programmer/

Renesas R8C / M32C / R32 Programmer CRASH DATA Remover. Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!

Renesas R8C / M32C / R32 Programmer

Functions:

- Read / Write Flash
- Read / Write EEPROM

***** Renesas R8C (R5F21XXx) *****

- R5F21344P
- R5F21346P
- R5F21344R
- R5F21346R
- R5F21546(EFGH)
- R5F21547(EFGH)
- R5F21548(EFGH)
- R5F2154A(EFGH)
- R5F2154C(EFGH)

***** Renesas M32C (M308XX) *****

- M3083xFJ(T)xP
- M3084xFW(T)xP
- M3084xFH(T)xP
- M3084xFJ(T)xP
- M3085xFW(T)xP
- M3085xFH(T)xP
- M3085xFJ(T)xP
- M30865FJ(T)GP
- M30873FH(A)GP
- M30875FH(A)GP
- M30876FJ(A)GP
- M30878FJ(A)GP
- M30879FK(A)GP
- M3087BFK(A)GP
- M30879FL(A)FP
- M30879FL(A)GP
- M3087BFL(A)GP
- M3088xFWT(U)GP
- M3088xFHT(U)GP
- M3088xFJT(U)GP
- M3088xFCGP
- M3088xFGGP



***** Renesas R32C (R5F64XXx) *****

- R5F64216
- R5F64217
- R5F64218
- R5F64219
- R5F64524
- R5F6452M
- R5F64525
- R5F6452N
- R5F64561
- R5F64562
- R5F64563
- R5F6456F
- R5F6456G
- R5F6456H

Renesas RH850 R7F701x Programmer. Activation for CPT Programmer.

Its activation for CarProTool Programmer !!!
Protected or Locked MCUs read impossible !

- NEW HONDA CIVIC 2016+ and more 2017+ supported
- NEW FORD FUSION 2016+ HS7T 14B321 AE and more 2017+ supported
- NEW Lincoln Town 2017+ HD9T 14B321 AD and more supported
- NEW TOYOTA 2017+ 89170-33A80_R7F701A223
- NEW KIA HYUNDAI 2017+ 95910-G6200, 95910-H9110, 95910-H9110
- Connection diagrams available
- Clear files available in database. One button click solution.
- No pins need to be lifted up
- Works on Windows XP/7/8/10 (32-bit, 64-bit)
- R7F701A223, R7F701223, R7F701A033 and many more MCU supported ...

***** Renesas RH850 *****

- | | |
|--------------|-------------|
| • R7F701A223 | • R7F701006 |
| • R7F701A033 | • R7F701032 |
| • R7F701008 | • R7F701033 |
| • R7F701009 | • R7F701034 |
| • R7F701010 | • R7F701007 |
| • R7F701011 | • R7F701040 |
| • R7F701012 | • R7F701041 |
| • R7F701013 | • R7F701042 |
| • R7F701014 | • R7F701043 |
| • R7F701015 | • R7F701044 |
| • R7F701016 | • R7F701045 |
| • R7F701017 | • R7F701046 |
| • R7F701018 | • R7F701047 |
| • R7F701019 | • R7F701048 |
| • R7F701020 | • R7F701049 |
| • R7F701021 | • R7F701050 |
| • R7F701022 | • R7F701051 |
| • R7F701023 | • R7F701052 |
| • R7F701024 | • R7F701053 |
| • R7F701025 | • R7F701054 |
| • R7F701002 | • R7F701055 |
| • R7F701003 | • R7F701056 |
| • R7F701028 | • R7F701057 |
| • R7F701029 | • R7F701064 |
| • R7F701030 | • R7F701071 |

Renesas RL78. Activation for CPT.

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

Functions available:

- Read Data Flash - when password unknown
- Read Data Flash - if password known
- Read Flash - if password known
- Write DataFlash
- Write Flash

MCU Supported:

- R5F10DMJxFB
- R5F10DMGxFB
- R5F10DMFxFB
- R5F10DGExFB
- R5F10DLExFB
- R5F10CMExFB
- R5F10DMExFB
- R5F10CGDxFB
- R5F10DGDxFB
- R5F10CLDxFB
- R5F10DLDEXFB
- R5F10CMDxFB
- R5F10DMDxFB
- R5F10CGCxFB
- R5F10DGCxFB
- R5F10CGBxFB
- R5F10DPLxFB
- R5F10DSLxFB
- R5F10DPKxFB
- R5F10DSKxFB
- R5F10TPJxFB
- R5F10DPJxFB
- R5F10DSJxFB
- R5F10DPGxFB
- R5F10DPFxFB
- R5F10DPExFB

Renesas / NEC V850 programmer. Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!
Protected or Locked MCUs read impossible !

NEC / Renesas V850 series supported:

- μ PD70F3231
- μ PD70F3232
- μ PD70F3233
- μ PD70F3234
- μ PD70F3235
- μ PD70F3236
- μ PD70F3237
- μ PD70F3238
- μ PD70F3239
- μ PD70F3333
- μ PD70F3334
- μ PD70F3335
- μ PD70F3336
- μ PD70F3340
- μ PD70F3341
- μ PD70F3342
- μ PD70F3343
- μ PD70F3350
- μ PD70F3351
- μ PD70F3352
- μ PD70F3353
- μ PD70F3344
- μ PD70F3345
- μ PD70F3346
- μ PD70F3347
- μ PD70F3348
- μ PD70F3354
- μ PD70F3355
- μ PD70F3356
- μ PD70F3357
- μ PD70F3358
- μ PD70F3364
- μ PD70F3365
- μ PD70F3366
- μ PD70F3367
- μ PD70F3368
- μ PD70F3370a
- μ PD70F3381
- μ PD70F3382
- μ PD70F3383
- μ PD70F3384
- μ PD70F3385
- μ PD70F3416
- μ PD70F3417
- μ PD70F3421
- μ PD70F3422
- μ PD70F3423
- μ PD70F3424
- μ PD70F3425
- μ PD70F3426a
- μ PD70F3427
- μ PD70F3461
- μ PD70F3464
- μ PD70F3465
- μ PD70F3466
- μ PD70F3469
- μ PD70F3470
- μ PD70F3471
- μ PD70F3472
- μ PD70F3610
- μ PD70F3611
- μ PD70F3612
- μ PD70F3613
- μ PD70F3614
- μ PD70F3615
- μ PD70F3616
- μ PD70F3617
- μ PD70F3618
- μ PD70F3619
- μ PD70F3620
- μ PD70F3621
- μ PD70F3622
- μ PD70F3624
- μ PD70F3628



- μ PD70F3371
- μ PD70F3372
- μ PD70F3373
- μ PD70F3374
- μ PD70F3375
- μ PD70F3376a
- μ PD70F3377a
- μ PD70F3378
- μ PD70F3379
- μ PD70F3380

- μ PD70F3629
- μ PD70F3630
- μ PD70F3631
- μ PD70F3632
- μ PD70F3633
- μ PD70F3634
- μ PD70F3635
- μ PD70F3636
- μ PD70F3637
- μ PD70F3638

Renesas NEC V850E2 D70F35xx D70F40xx. FLUR0RTX Connection type. Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!
Protected or Locked MCUs read impossible !

***** Nec V850E2 *****

- μ PD70F3522
- μ PD70F3523
- μ PD70F3524
- μ PD70F3525
- μ PD70F3526
- μ PD70F3529
- μ PD70F3532
- μ PD70F3535
- μ PD70F3537
- μ PD70F3548
- μ PD70F3549
- μ PD70F3550
- μ PD70F3551
- μ PD70F3552
- μ PD70F3553
- μ PD70F3554
- μ PD70F3555
- μ PD70F3556
- μ PD70F3557
- μ PD70F3558
- μ PD70F3559
- μ PD70F3560
- μ PD70F3592
- μ PD70F3570
- μ PD70F3571
- μ PD70F3572
- μ PD70F3573
- μ PD70F3574
- μ PD70F3575
- μ PD70F3576
- μ PD70F3577
- μ PD70F3578
- μ PD70F3579
- μ PD70F3580
- μ PD70F3582
- μ PD70F3583
- μ PD70F3584
- μ PD70F3585
- μ PD70F4000
- μ PD70F4001
- μ PD70F4002
- μ PD70F4003
- μ PD70F4004
- μ PD70F4005
- μ PD70F4006
- μ PD70F4007
- μ PD70F4008
- μ PD70F4009
- μ PD70F4010
- μ PD70F4011
- μ PD70F4012

VOLVO DDM & PDM Reprogramming. Activation for CPT.

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

DDM - driver's doors module

PDM - passenger's doors module

Many Volvo cars have km information in DDM and PDM modules.

We create solution for reprogramming this modules by special files.

Change km first on dashboard and next write special files to PDM and DDM modules.

After start car km from dash go to dors modules :-)

NOTE: NEC V850 Programmer activation required

For reprogramming Volvo PDM and DDM you want buy two actiavtions.

1. Volvo DDM & PDM Reprogramming.
2. NEC V850 Programmer.

If you have NEC V850 activation already in your CPT, you can buy just Volvo DDM & PDM Reprogramming



TMS470 Programmer. Activation for CPT.

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

Features :

- Read
- Write
- Erase
- Verify
- Check Blank

MCU supported:

- tms470r1vf689
- tms470r1vf48b
- tms470r1vf48c
- tms470r1vf348
- tms470r1vf288
- tms470r1a256
- tms470r1a384
- tms470r1vf55b
- tms470r1b1m



TMS570 JTAG Programmer. Activation for CPT.

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

MCU Supported :

- TMS570LS1113 (READ/WRITE)
- TMS570LS1114 (READ/WRITE)

2016+ VOLVO SRS UNITS :

- P31451730
- P31658130
- P31451568
- P31681525
- P31658126
- P31681532
- P32221372
- and more ...



Ford Radio Code Reader. Activation for CPT

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

Reading original radio codes from Ford Visteon units based on TMS470

Features :

- Read Code
- Write New Code
- Clear Code Counter
- Code calculation from dump

Blaupunkt RNS 310 / Ford Travepilot FX NX [OMAP5948] Code Reader. Activation for CPT

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

Application designed to read out original codes from RNS 310 navigations.

Reading consists in pointing the 6 wires to the radio board, the whole process takes a few seconds.

- VW, RNS 310, 3C0 035 270B, 7 612 032 082
- VW, RNS 310 BVX, 3C0 035 270, 7 612 032 080
- Skoda, RNS 310, 3T0 035 191A, 7 612 032 055
- Skoda, RNS 310, 3T0 035 191, 7 612 032 053
- Skoda, RNS 310, 3T0 035 191B, 7 612 032 056
- Seat, RNS 310, 5P0 035 191C, 7 612 032 059
- Ford, HSRNS (NX), 9M5T 18K931 CA, 7 612 300 670

Blaupunkt Ford Travepilot FX (OMAP5948) code Reader

- FORD TRAVELPILOT FX 7 612 300 520 / 8S7T-18K931-AB BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 522 / 8S7T-18K931-AC BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 524 / 8S7T-18K931-AD BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 527 / 8S7T-18K931-AE BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 540 / 8M5T-18K931-AE BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 542 / 8M5T-18K931-GB BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 544 / 8M5T-18K931-GC BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 546 / 8M5T-18K931-GD BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 547 / 9M5T-18K931-DA BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 560 / 8M5T-18K931-CE BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 562 / 8M5T-18K931-HB BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 564 / 8M5T-18K931-HC BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 566 / 8M5T-18K931-HD BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 567 / 9M5T-18K931-FA BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 580 / 8C1T-18K931-AA BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 582 / 8C1T-18K931-AB BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 583 / 8C1T-18K931-AC BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 590 / 8V4T-18K931-AD BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 592 / 8V4T-18K931-AE BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 594 / 8V4T-18K931-AF BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 595 / 9V4T-18K931-AA BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 300 690 BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 330 527 / 8S7T-18K931-AE BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 330 547 / 9M5T-18K931-DA BLAUPUNKT

- FORD TRAVELPILOT FX 7 612 330 567 / 9M5T-18K931-FA BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 330 584 / 8C1T-18K931-AD BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 330 595 / 9V4T-18K931-AA BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 330 691 / 9V4T-18K931-BA BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 360 522 / 8S7T-18K931-AC BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 360 524 / 8S7T-18K931-AD BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 360 562 / 8M5T-18K931-HB BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 360 582 / 8C1T-18K931-AB BLAUPUNKT
- FORD TRAVELPILOT FX 7 612 360 594 / 8V4T-18K931-AF BLAUPUNKT

Blaupunkt NAVI Ford Travepilot NX (OMAP 5948) PIN Code Reader

- FORD TRAVELPILOT NX HSRNS 7 612 300 530 / 7S7T-18K931-BH BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 532 / 7S7T-18K931-BK BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 533 / 7S7T-18K931-BJ BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 534 / 7S7T-18K931-BL BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 535 / 8S7T-18K931-BA BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 536 / 8S7T-18K931-BC BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 537 / 8S7T-18K931-BC BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 539 / 8S7T-18K931-BD BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 570 / 8M5T-18K931-YC BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 573 / 8M5T-18K931-LA BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 575 / 8M5T-18K931-KB BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 578 / 8M5T-18K931-JC BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 579 / 8M5T-18K931-JD BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 670 / 9M5T-18K931-CA BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 300 672 / 9M5T-18K931-CB BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 330 630 / 8S7T-18K931-BE BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 330 672 / 9M5T-18K931-CB BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 330 680 / 9M5T-18K931-CC BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 360 533 / 7S7T-18K931-BJ BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 360 534 / 7S7T-18K931-BL BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 360 536 / 8S7T-18K931-BB BLAUPUNKT
- FORD TRAVELPILOT NX HSRNS 7 612 360 537 / 8S7T-18K931-BC BLAUPUNKT

NISSAN LCN EU / OPEL TOUCH & CONNECT / SUZUKI Decoder. Activation for CPT

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!

Features :

- read code
- set new code
- code counter reset
- restore

Nissan LCN :

- 7 612 830 001
- 7 612 830 013
- 7 612 830 014
- 7 612 830 020
- 7 612 830 021
- 7 612 830 022
- 7 612 830 023
- 7 612 830 024
- 7 612 830 025
- 7 612 830 026
- 7 612 830 031
- 7 612 830 032
- 7 612 830 034
- 7 612 830 035
- 7 612 830 041
- 7 612 830 047
- 7 612 830 050
- 7 612 830 051
- 7 612 830 052
- 7 612 830 055
- 7 612 830 058
- 7 612 830 059
- 7 612 830 076
- 7 612 830 090
- 7 612 830 091
- 7 612 830 092
- 7 612 830 093
- 7 612 830 094
- 7 612 830 095
- and more.

Opel Touch & Connect :

- 7 612 830 110
- 7 612 830 111
- 7 612 830 113
- 7 612 830 115
- 7 612 830 122
- 7 612 830 129
- 7 612 830 142

Suzuki SX4 :

- 7 612 830 104
- 7 612 830 105

RNS 300 LowLine Code Reader. Activation for CPT

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

Code reading process by TestPoints.

Models supported :

- Audi, RNS LowLine A3, BNS 5.0, 7 612 002 045
- Audi, RNS LowLine A4, BNS 5.0, 7 612 002 049
- Audi, RNS LowLine AB2 (A3), BNS 5.0, 7 612 002 091
- Audi, RNS LowLine B7 (A4), BNS 5.0, 7 612 002 092
- Audi, RNS LowLine TT, BNS 5.0, 7 612 002 093
- Audi, RNS LowLine, BNS 5.0, 7 612 002 046
- Audi, RNS LowLine, BNS 5.0, 7 612 002 048
- Skoda, RNS LowLine, 7 612 002 050
- Skoda, RNS LowLine, 7 612 002 051
- Seat, RNS LowLine, 7 612 002 055
- Seat, RNS LowLine, 7 612 002 056
- VW, RNS LowLine, RNS 300, 7 612 002 040
- VW, RNS LowLine, RNS 300, 7 612 002 042
- VW, RNS LowLine, RNS 300, 7 612 002 044
- VW, RNS LowLine, RNS 300, 7 612 002 054
- VW, RNS LowLine, RNS 300, 7 612 002 076



RCD 310 RCD 510 Code Reader. Activation for CPT

Its activation for CarProTool Programmer !!!

CarProTool Programmer required !!!

Code reading process by TestPoints.

Models supported :

- VW RCD310 LOW EU (95128 EEPROM)
- VW RCD510 MID EU (95128 EEPROM)
- Skoda SUPERB MID EU (95128 EEPROM)
- Seat Ultra Low (95128 EEPROM)



RCD 210 / RCD 500 Panasonic (Renesas M30879) Code Reader. Activation for CPT.

Its activation for CarProTool Programmer !!!
CarProTool Programmer required !!!



For More Information.

Please scan the qrcode.

